dinoflex
Rubber Reimagined

HIGHEST QUALITY
MADE FLAT STAYS FLAT.
GUARANTEED
NEVER TO CURL

Nature's Collection
by dinoflex

Naturally **Elegant.**
Naturally **Beautiful.**

RETAIL ■ HOSPITALITY ■ COMMERCIAL ■ EDUCATION

RECYCLED
RUBBER
FLOORING

Sophisticated and elegant, Nature's Collection blends the durability and versatility of recycled rubber with the style of sustainably harvested cork. By infusing cork granules we add depth and texture to the surface, while the vivid colors of the EPDM offer contrast, coming together for a perfectly balanced design that is sure to leave you impressed.

Made for Designers.

We have combined characteristics that are similar yet complementary to one another, giving you a product with superb performance and a visual dimension not typically found with rubber surfaces.

Features

- Sustainably harvested cork granules
- Aesthetically versatile
- Increased insulation properties
- Durable
- Ergonomic benefits
- Natural resistance to mold and mildew
- Sound absorbing
- High traction

Benefits

- Renewable source which does not harm the planet
- Design a space that is uniquely different
- Spaces will hold heat and remain warm
- Resists abrasions and indentations, resulting in a long-life expectancy
- Provides relief to a person who stands for long periods of time
- Great for high moisture environment areas
- Increased acoustic properties over other resilient products
- Eliminates the need for non-slip matting

Best For

Commercial
Hospitality
Lobbies
Multi-use Facilities
Office Spaces
Retail



Color: Cherry Blossom

Tolerance of +/- 0.5mm

Square Cut Glue Down

38" x 38" = 10.0ft²
(96.5cm x 96.5cm = 0.93m²)

STANDARD THICKNESS

4mm (5/32")
5mm (3/16")
6mm (1/4")
7mm (9/32")
8mm (5/16")



Interlocking Loose Lay

37" x 37" = 9.5ft²
(94cm x 94cm = 0.88m²)

STANDARD THICKNESS

7mm (9/32")
8mm (5/16")

Color Swatches

Nature's Collection
by dinoflex

COFFEE BEAN

MOON SHADOW

ASHES


CANYON


CARRIBEAN


FOSSIL


STONE


BARK


BLUE BELLS


IRIS


OCEAN


ORCHID


PINE TREE


SAPPHIRE


CHERRY BLOSSOM


DAFFODIL


MEADOW GRASS


MONARCH


MOSS


WATERFALL

Contact your Sales Representative for more information.

Colors show are reproduced as closely as possible to actual product. Contact Dinoflex for product sample.

This product must be coated with Dinocoat.

the color innovator

Click here to design your own Recycled Rubber Color.

Nature's Collection
by dinoflex

Testing Results

DESCRIPTION	TEST METHOD	RESULT
Sound Absorption / Noise Reduction Coefficient	ASTM C423	SAA - 0.04
		NRC - 0.05
Taber Abrasion	ASTM C501	Weight Loss 0.92 grams (1.39%)
Compression Set Under Force	ASTM D395B	82.2% Recovered; 17.8% Unrecovered
Breaking Load and Elongation	ASTM D412	Elongation - 48.71%
		Tensile - 204.4 lbs/sq. in.
Static Coefficient of Friction	ASTM D2047	Dry 0.78
Hardness Shore A Durometer	ASTM D2240	65
Impact Sound Transmission	ASTM E492	IIC 58
Critical Radiant Flux	ASTM E648	0.48 watts/sqaure cm
Flexibility	ASTM F137	6mm Mandrel PASS
Electrical Resistance - Surface to Ground	ASTM F150	4.0×10^{10} ohms (average)
Electrical Resistance - Surface to Surface	ASTM F150	2.8×10^{11} ohms (average)
Resistance to Chemicals (5 min & 24 hr)	ASTM F925	Slight to Moderate Color Change from 5% Acetic Acid, Mineral Oil, 5% Phenol, Kerosene and Olive Oil
Static Load (250 lbs)	ASTM F970	0.009 inch residual compression
Short Term Indentation (140 lbs)	ASTM F1914	-0.064 inch residual indentation

Please Note: All measurements are subject to nominal variation.

Dinoflex
P.O. Box 3309
5590 46 Ave SE
Salmon Arm, BC, Canada
V1E 4S1

Toll Free: 1-877-713-1899
Direct: 250-832-7780
sales@dinoflex.com
dinoflex.com

CANADA GREEN BUILDING COUNCIL MEMBER CONSEIL DU BÂTIMENT DURABLE DU CANADA

U.S. GREEN BUILDING COUNCIL MEMBER

floor score
CERTIFIED BY SCS Global Services

10 year Limited Warranty
when installed in accordance with Dinoflex's Installation Guidelines.

Date Issued: